

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
|---|--------------------------|------------------------------|---------------------|

**FIG. 1 CRANKCASE**

|        |                             |               |         |
|--------|-----------------------------|---------------|---------|
| Q-1/1  | LEFT CRANKCASE ASSY.        | JY55T.01-013  | \$ -    |
| Q-1/2  | SHOCK ABSORBING BUSHING     | JY55T.02-022  | \$ -    |
| Q-1/3  | ROLLING BEARING E180103     | GB279-88      | \$ -    |
| Q-1/4  | "L" PIPE JOINT              | CY80.0206-15  | \$ -    |
| Q-1/5  | REAR BRAKE CENTER AXLE      | JS55T.01-77   | \$ -    |
| Q-1/6  | O-RING 6.7x1.80             | GB3452.1-82   | \$ -    |
| Q-1/7  | TRANSMISSION BALANCE TUBE   | JY55T.01-77   | \$ -    |
| Q-1/8  | NUT M8                      | GB6177-86     | \$ -    |
| Q-1/9  | BEARING RACE                | JY55T.01-79   | \$ -    |
| Q-1/10 | LEFT CRANKCASE              | JY55T.01-75   | \$ -    |
| Q-1/11 | CIRCLIP 17                  | GB8941.1-86   | \$ -    |
| Q-1/12 | ENGINE SUPPORT ROD          | JY55T.01-48   | \$ -    |
| Q-1/13 | RIGHT CRANKCASE             | JY55T.01-91   | \$ -    |
| Q-1/14 | DOWEL PIN A                 | CY80.01-15    | \$ -    |
| Q-1/15 | SCREW M6x35                 | GB823-88      | \$ -    |
| Q-1/16 | MAINTAINING BRACKET         | JY55T.01-43   | \$ -    |
| Q-1/17 | SCREW M6x12                 | GB823-88      | \$ -    |
| Q-1/18 | OIL PAD                     | JY55T.01-42   | \$ -    |
| Q-1/19 | DOWEL PIN A                 | CY80.01-14    | \$ -    |
| Q-1/20 | TRANSMISSION GASKET         | JY55T.01-33   | \$ -    |
| Q-1/21 | TRANSMISSION COVER ASSY.    | JY55T.01-023  | \$ -    |
| Q-1/22 | SCREW M6x35                 | GB823-88      | \$ -    |
| Q-1/23 | DOWEL PIN A                 | CY80.01-14    | \$ 1.00 |
| Q-1/24 | SCREW M6x25                 | GB823-88      | \$ -    |
| Q-1/25 | OIL PLUG                    | JY55T.01-1    | \$ -    |
| Q-1/26 | O-RING 14x2.65              | GB3452.1-82   | \$ -    |
| Q-1/27 | PIN                         | JY55T.0106-7  | \$ -    |
| Q-1/28 | SCREW M6x65                 | GB823-88      | \$ -    |
| Q-1/29 | CRANKCASE COVER BODY        | JY55T.0106-6A | \$ -    |
| Q-1/30 | OIL DRAIN BOLT              | JY55T.01-37   | \$ -    |
| Q-1/31 | WASHER                      | JY55T.01-36A  | \$ -    |
| Q-1/32 | RIGHT CRANKCASE ASSY.       | JY55T.01-02   | \$ -    |
| Q-1/33 | BEARING                     | JY55T.0106-04 | \$ -    |
| Q-1/34 | CRANKCASE COVER             | JY55T.0106-01 | \$ -    |
| Q-1/35 | SCREW M6x20                 | GB832-88      | \$ -    |
| Q-1/36 | BEARING 4624903             | GB5801-86     | \$ -    |
| Q-1/37 | LEFT CRANKCASE COVER GASKET | JY55T.01-31   | \$ -    |
| Q-1/38 | SCREW M6x35                 | GB823-88      | \$ -    |

**FIG. 2 CARBURETOR**

|       |                              |              |           |
|-------|------------------------------|--------------|-----------|
| Q-2/1 | CARBURETOR                   | JY55T.0103   | \$ 165.00 |
| Q-2/2 | LOADING PRESSURE SIGNAL PIPE | JY55T.0103-1 | \$ -      |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
| Q-2/3   | ELECTRIC AUTO CHOKE      | JY55T.0103-02                | \$ -                |
| Q-2/4   | OIL INLET PIPE           | JY55T.0103-3                 | \$ -                |
| Q-2/5   | CLIP                     | JY55T.0103-4                 | \$ -                |
| Q-2/6   | OVERFLOW FABE            | JY55T.0103-5                 | \$ -                |

**FIG. 3 AIR FILTER**

|        |                                    |              |         |
|--------|------------------------------------|--------------|---------|
| Q-3/1  | AIR INTAKE VALVE ASSY.             | JY55T.01-01  | \$ -    |
| Q-3/2  | REED VALVE                         | JY55T.01-50  | \$ -    |
| Q-3/3  | LEAF SPRING STOPPER                | JY55T.01-51  | \$ -    |
| Q-3/4  | PAD                                | JY55T.01-52  | \$ -    |
| Q-3/5  | PAN HEAD SCREW With WASHER M3x8-6g | Q/JR YP2-85  | \$ -    |
| Q-3/6  | DAMPING RING                       | JY55T.01-60  | \$ -    |
| Q-3/7  | INTAKE VALVE GASKET                | JY55T.01-2   | \$ -    |
| Q-3/8  | INTAKE PIPE                        | JY55T.01-02  | \$ -    |
| Q-3/9  | SCREW M6x20                        | GB823-88     | \$ -    |
| Q-3/10 | CLAMP                              | JY55T.01-03  | \$ -    |
| Q-3/11 | CLIP                               | JY55T.0107-7 | \$ -    |
| Q-3/12 | AIR FILTER COVER                   | JY55T.0107-4 | \$ -    |
| Q-3/13 | AIR FILTER CASE                    | JY55T.0107-1 | \$ -    |
| Q-3/14 | AIR PIPE                           | JY55T.0107-5 | \$ -    |
| Q-3/15 | FILTER ELEMENT                     | JY55T.0107-3 | \$ -    |
| Q-3/16 | GASKET                             | JY55T.0107-2 | \$ -    |
| Q-3/17 | PIPE CONNECTING CARBURETOR         | JY55T.0107-6 | \$ 7.00 |
| Q-3/18 | TAPPING SCREW ST5.5x25-C-H         | GB845-85     | \$ -    |
| Q-3/19 | SCREW M6x20                        | GB823-88     | \$ -    |
| Q-3/20 | WASHER 6-140HV                     | GB96-85      | \$ -    |
| Q-3/21 | BUSHING                            | JY55T.01-61  | \$ -    |

**FIG. 4 DRIVE SHAFT**

|       |                          |              |      |
|-------|--------------------------|--------------|------|
| Q-4/1 | AXLE UNIT                | JY55T.01-09  | \$ - |
| Q-4/2 | ROLLING BEARING 200      | GB276-89     | \$ - |
| Q-4/3 | WASHER                   | JY55T.01-25  | \$ - |
| Q-4/4 | BEVELLED SPRING WASHER   | JS55T.01-25  | \$ - |
| Q-4/5 | DRIVE SHAFT ASSY.        | JY55T.01-011 | \$ - |
| Q-4/6 | ROLLING BEARING 60203-RS | GB/T276-94   | \$ - |
| Q-4/7 | DRIVE SHAFT OIL SEAL     | JY55T.01-010 | \$ - |
| Q-4/8 | CIRCLIP 40               | GB893.1-86   | \$ - |

**FIG. 5 CRANK CONNECTING ROD**

|       |                          |              |      |
|-------|--------------------------|--------------|------|
| Q-5/1 | CRANK CONNECTING ROD     | JY55T.0102   | \$ - |
| Q-5/2 | LEFT CRANK               | JY55T.0102-1 | \$ - |
| Q-5/3 | CRANK PIN                | JY55T.0102-3 | \$ - |
| Q-5/4 | NEEDLE BEARING 19243-16Y | JB2581-79    | \$ - |
| Q-5/5 | CONNECTING ROD           | JY55T.0102-4 | \$ - |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
| Q-5/6   | RIGHT CRANK              | JY55T.0102-2                 | \$ -                |
| Q-5/7   | KEY 3x5x13               | GB1099-79                    | \$ -                |
| Q-5/8   | ROLLING BEARING 6204/C4  | GB/T276-94                   | \$ -                |
| Q-5/9   | LEFT CRANK OIL SEAL      | JY55T.01-018                 | \$ -                |
| Q-5/10  | RIGHT CRANK OIL SEAL     | JY55T.01-019                 | \$ -                |
| Q-5/11  | COLLAR                   | JY55T.01-39                  | \$ -                |
| Q-5/12  | PISTON UNIT              | JY55T.01-06                  | \$ -                |
| Q-5/13  | PISTON PIN               | JY55T.01-12                  | \$ -                |
| Q-5/14  | PISTON RING A            | JY55T.01-8                   | \$ 21.00            |
| Q-5/15  | CIRCLIP                  | JY55T.01-11                  | \$ -                |
| Q-5/16  | NEEDLE BEARING 39242/10Y | JB2581-79                    | \$ -                |
| Q-5/17  | PISTON RING B            | JY55T.01-91                  | \$ 21.00            |

**FIG. 6 CYLINDER**

|       |                       |             |          |
|-------|-----------------------|-------------|----------|
| Q-6/1 | CYLINDER COVER        | JY55T.01-6  | \$ 24.00 |
| Q-6/2 | CYLINDER HEAD GASKET  | JY55T.01-7  | \$ -     |
| Q-6/3 | SPARK PLUG 74138J     | JB2490-78   | \$ -     |
| Q-6/4 | CYLINDER BLOCK        | JY55T.01-10 | \$ 65.00 |
| Q-6/5 | CYLINDER BLOCK GASKET | JY55T.01-13 | \$ -     |
| Q-6/6 | STUD                  | JY55T.01-3  | \$ -     |
| Q-6/7 | NUT                   | JY55T.01-5  | \$ -     |
| Q-6/8 | WASHER                | JY55T.01-4  | \$ -     |

**FIG. 7 STARTER**

|        |                      |               |          |
|--------|----------------------|---------------|----------|
| Q-7/1  | OVERSTEP CLUTCH GEAR | JY55T.01-38   | \$ -     |
| Q-7/2  | NEEDLE BEARING       | JY55T.01-017  | \$ -     |
| Q-7/3  | HARNESS              | JY55T.01-05   | \$ -     |
| Q-7/4  | OVERSTEP CLUTCH UNIT | JY55T.01-016  | \$ -     |
| Q-7/5  | STARTER GEAR UNIT    | JY55T.01-012A | \$ 55.00 |
| Q-7/6  | STARTER GEAR AXLE    | JY55T.01-45   | \$ -     |
| Q-7/7  | WASHER               | JY55T.01-44   | \$ -     |
| Q-7/8  | PRESSURE PLATE       | JY55T.01-46   | \$ -     |
| Q-7/9  | SCREW M6x12          | GB823-88      | \$ -     |
| Q-7/10 | SCREW M6x20          | GB823-88      | \$ -     |
| Q-7/11 | KICK AXLE UNIT       | JY55T.0106-03 | \$ -     |
| Q-7/12 | DOUBLE SPRING        | JY55T.0106-3  | \$ -     |
| Q-7/13 | BUSHING              | JY55T.0106-2  | \$ -     |
| Q-7/14 | WASHER               | JY55T.0106-1  | \$ -     |
| Q-7/15 | CIRCLIP 15           | GB894.1-86    | \$ -     |
| Q-7/16 | KICK CRANK UNIT      | JY55T.0106-02 | \$ 30.00 |
| Q-7/17 | BOLT M6x25           | GB5783-85     | \$ -     |
| Q-7/18 | KICK GEAR UNIT       | JY55T-0106-05 | \$ 14.00 |
| Q-7/19 | CLIP                 | JY55T.0106-4  | \$ 2.00  |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
| Q-7/20  | O-RING                   | GB3452.1-82                  | \$ -                |

**FIG. 8 FIRINGS**

|        |                            |              |      |
|--------|----------------------------|--------------|------|
| Q-8/1  | FIRING COVER               | JY55T.01-62  | \$ - |
| Q-8/2  | RUBBER WASHER              | JY55T.01-63  | \$ - |
| Q-8/3  | FIRING                     | JY55T.01-58  | \$ - |
| Q-8/4  | BUSHING                    | JY55T.01-61  | \$ - |
| Q-8/5  | DAMPER                     | JY55T.01-60  | \$ - |
| Q-8/6  | SCREW M6x20                | GB823-88     | \$ - |
| Q-8/7  | WASHER 6-140HV             | GB97.1-85    | \$ - |
| Q-8/8  | TAPPING SCREW ST6.3x40-C-H | GB845-85     | \$ - |
| Q-8/9  | DAMPING STRAP              | JY55T.01-59  | \$ - |
| Q-8/10 | O-RING 70x3.1              | GB1235-76    | \$ - |
| Q-8/11 | VANE WHEEL ASSY.           | JY5TT.01-021 | \$ - |
| Q-8/12 | SCREW CM6x16               | Q/JR YP2-85  | \$ - |
| Q-8/13 | FIRING ASSY.               | JY55T.01-04  | \$ - |
| Q-8/14 | FIRING COVER ASSY.         | JY55T.01-05  | \$ - |
| Q-8/15 | DUST COVER                 | JY55T.01-47  | \$ - |

**FIG. 9 CLUTCH , BELT PLATE**

|        |                              |               |          |
|--------|------------------------------|---------------|----------|
| Q-9/1  | MAIN AXLE                    | JY55T.01-27   | \$ -     |
| Q-9/2  | WASHER 6-140HV               | GB96-85       | \$ -     |
| Q-9/3  | SCREW M6x10                  | GB823-88      | \$ -     |
| Q-9/4  | CIRCLIP 17                   | GB894.1-86    | \$ -     |
| Q-9/5  | ROLLING BEARING 103          | GB276-89      | \$ -     |
| Q-9/6  | MAIN AXLE OIL SEAL           | JY55T.01-08   | \$ -     |
| Q-9/7  | CLUTCH COVER ASSY.           | JY55T.01-07   | \$ 24.00 |
| Q-9/8  | NUT                          | JY55T.01-28   | \$ -     |
| Q-9/9  | NUT                          | JY55T.0104-2  | \$ -     |
| Q-9/10 | O-RING                       | JY55T.01-26   | \$ -     |
| Q-9/11 | PRIMARY PULLEY               | JY55T.01-014  | \$ -     |
| Q-9/12 | ROLLING WHEEL HAMMER         | JY55T.01-015  | \$ -     |
| Q-9/13 | ROLLING WHELL PRESSURE PLATE | JY55T.01-15   | \$ -     |
| Q-9/14 | SLIDE                        | JY55T.01-14   | \$ -     |
| Q-9/15 | COLLAR                       | JY55T.01-22   | \$ 7.00  |
| Q-9/16 | WASHER                       | JY55T.01-21   | \$ -     |
| Q-9/17 | BELT                         | JY55T.01-23   | \$ -     |
| Q-9/18 | BELT VANE                    | JY55T.01-16   | \$ -     |
| Q-9/19 | REDUCING FINE WASHER         | JY55T.01-17   | \$ 3.00  |
| Q-9/20 | DRIVE RATCHET                | JY55T.01-20   | \$ -     |
| Q-9/21 | BUTTERFLY WASHER             | JY55T.01-19   | \$ -     |
| Q-9/22 | NUT                          | JY55T.01-18   | \$ -     |
| Q-9/23 | CLUTCH ASSY.                 | JY55T.0104-02 | \$ -     |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b>  | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|---------------------------|------------------------------|---------------------|
| Q-9/24  | TENSION SPRING            | JY55T.0104-5                 | \$ -                |
| Q-9/25  | FIXED BELT PULLEY ASSY.   | JY55T.0104-03                | \$ -                |
| Q-9/26  | MOVABLE BELT PULLEY ASSY. | JY55T.0104-04                | \$ -                |
| Q-9/27  | OIL SEAL                  | JY55T.0104-08                | \$ -                |
| Q-9/28  | O-RING 38.7x1.8           | GB3452.1-82                  | \$ -                |
| Q-9/29  | PIN                       | JY55T.0104-3                 | \$ -                |
| Q-9/30  | COMPRESSION SPRING        | JY55T.0104-1                 | \$ -                |
| Q-9/31  | PRESSURE BUSHING          | JY55T.0104-4                 | \$ -                |

**FIG. 10 OIL PUMP**

|         |                    |               |      |
|---------|--------------------|---------------|------|
| Q-10/1  | OIL PUMP           | JY55T.0101    | \$ - |
| Q-10/2  | SCREW M4x7         | GB823-88      | \$ - |
| Q-10/3  | WASHER             | JY55T.0101-11 | \$ - |
| Q-10/4  | OIL PUMP COMP      | JY55T.0101-01 | \$ - |
| Q-10/5  | WORM WHEEL         | JY55T.0101-9  | \$ - |
| Q-10/6  | PIN                | JY55T.0101-8  | \$ - |
| Q-10/7  | CIRCLIP            | CY80.0101-7   | \$ - |
| Q-10/8  | OIL INLET PIPE     | TAO-000605-0  | \$ - |
| Q-10/9  | CLIP               | CY80.00-19    | \$ - |
| Q-10/10 | DELIVERY PIPE      | JY55T.0104-13 | \$ - |
| Q-10/11 | CLIP ( 1 )         | JY55T.0104-12 | \$ - |
| Q-10/12 | DELIVERY STOPPER   | JY55T.0104-14 | \$ - |
| Q-10/13 | SCREW M5x6         | GB823-88      | \$ - |
| Q-10/14 | DRIVE WORM ROD     | JY55T.01-41   | \$ - |
| Q-10/15 | DRIVE WORM ROD PIN | JY55T.01-40   | \$ - |
| Q-10/16 | CIRCLIP 19         | GB984.1-86    | \$ - |
| Q-10/17 | OIL INLET STOPPER  | JY55T.0101-15 | \$ - |

**FIG. 11 SILENCER**

|         |                     |              |          |
|---------|---------------------|--------------|----------|
| Q-11/1  | EXHAUST SILENCER    | TA1-730000-0 | \$ 65.00 |
| Q-11/2  | EXHAUST PIPE WASHER | JY55T.00-42  | \$ 3.10  |
| Q-11/3  | EXHAUST PIPE WASHER | JY55T.00-9   | \$ -     |
| Q-11/14 | BOLT AM8x30         | GB5787-86    | \$ -     |
| Q-11/15 | BOLT AM8x40         | GB5787-86    | \$ -     |
| Q-11/16 | SILENCER COVER      | JY55T.00-66  | \$ -     |
| Q-11/17 | WASHER              | JY55T.00-67  | \$ -     |
| Q-11/18 | WASHER 6-140HV      | GB97.1-85    | \$ -     |
| Q-11/19 | SCREW M6x16         | GB9074.1-88  | \$ -     |
| Q-11/20 | DAMPER              | JY55T.00-68  | \$ -     |
| Q-11/21 | COLLAR              | JY55T.00-69  | \$ -     |
| Q-11/22 | WASHER              | JY55T.00-70  | \$ -     |

**FIG. 12 HANDLEBAR**

|        |                      |              |      |
|--------|----------------------|--------------|------|
| Q-12/1 | HANDLEBAR SEAT ASSY. | TA0-001000-0 | \$ - |
|--------|----------------------|--------------|------|

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b>            | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|-------------------------------------|------------------------------|---------------------|
| Q-12/2                                      | STEERING BAR                        | TA4-110000-F2                | \$ -                |
| Q-12/3                                      | BOLT M10x45                         | GB5787-86                    | \$ -                |
| Q-12/4                                      | NUT M10                             | GB6177-86                    | \$ -                |
| Q-12/5                                      | UPPER CLAMPING SEAT OF STEERING BAR | JS80PY.17-1                  | \$ -                |
| Q-12/6                                      | LOWER CLAMPING SEAT OF STEERING BAR | JS80PY.17-03                 | \$ -                |
| Q-12/7                                      | NUT M10                             | GB6177-86                    | \$ -                |
| Q-12/8                                      | BOLT M6x35                          | GB70-85                      | \$ -                |
| Q-12/9                                      | LEFT GRIP COVER                     | TA4-110601-0                 | \$ -                |
| Q-12/10                                     | RIGHT GRIP COVER                    | TA4-100601-0                 | \$ -                |
| Q-12/11                                     | THROTTLE CABLE                      | TA4-210601-0                 | \$ 19.00            |
| Q-12/12                                     | FRONT BRAKE CABLE                   | TA4-220000-F2                | \$ 21.00            |
| Q-12/13                                     | PIN                                 | CY80.00-10                   | \$ -                |
| Q-12/14                                     | BUTTERFLY-SHAPE NUT                 | CY80.00-10                   | \$ -                |
| Q-12/15                                     | REAR BRAKE CABLE                    | TA4-230000-0                 | \$ -                |

**FIG. 13 FRONT FORK**

|         |                                      |               |      |
|---------|--------------------------------------|---------------|------|
| Q-13/1  | FRONT FORK                           | TA3-200000-0  | \$ - |
| Q-13/2  | FRONT SHOCK ABSORBER                 | TA3-510000-0  | \$ - |
| Q-13/3  | LEFT LEVER ASSY.                     | TA3-202000-0  | \$ - |
| Q-13/4  | RIGHT LEVER ASSY.                    | TA3-203000-0  | \$ - |
| Q-13/5  | BOLT M8x40                           | GB6177-86     | \$ - |
| Q-13/6  | NUT M8                               | GB6177-86     | \$ - |
| Q-13/7  | LOWER BEARING RACE                   | TA3-200401-0  | \$ - |
| Q-13/8  | BEARING                              | TA0-002000-F2 | \$ - |
| Q-13/9  | UPPER BEARING RACE OF FRAME          | TA0-000007-F2 | \$ - |
| Q-13/10 | LOWER BEARING RACE OF FRAME          | TA0-000008-F2 | \$ - |
| Q-13/11 | FIXED NUT                            | TA0-000009-F2 | \$ - |
| Q-13/12 | DECORATIVE COVER ON LOWER FRONT FORK | TA0-000516-0  | \$ - |
| Q-13/13 | BIG PAN HEAD SCREW                   | TA0-000011-F2 | \$ - |

**FIG. 14 WINDSHIELD**

|         |                                       |               |           |
|---------|---------------------------------------|---------------|-----------|
| Q-14/1  | WINDSHIELD                            | TA0-000502-0  | \$ 115.00 |
| Q-14/2  | FRONT COVER OF WINDSHIELD             | TA0-000503-0  | \$ 30.00  |
| Q-14/3  | BOLT M6x6                             | GB5787-86     | \$ -      |
| Q-14/4  | COVER OF OBSERVING HOLE FOR FRAME NO  | TA0-000522-0  | \$ -      |
| Q-14/5  | SELF-TAPPING SCREW                    | GB848-85      | \$ -      |
| Q-14/6  | HOOK                                  | TA0-000503-F2 | \$ -      |
| Q-14/7  | SCREW                                 | GB947-85      | \$ -      |
| Q-14/8  | WIRE COVER OF WINDSHIELD (LEFT)       | TA0-000536-0  | \$ -      |
| Q-14/9  | ALARMING MARK                         | TA0-000803-F2 | \$ -      |
| Q-14/10 | MARK FOR LIMITATION OF HANGING MATTER | TA0-000806-F2 | \$ -      |
| Q-14/11 | WIRE COVER OF WINDSHIELD RIGHT        | TA0-000537-F2 | \$ -      |
| Q-14/12 | SELF-TAPPING SCREW ST4.2x10           | GB848-85      | \$ -      |

# Midwest Motor Vehicles Inc

608-223-5160

www.midwestmv.com

## JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING

| FIGURE & REFERENCE<br>FIG. / REF. # | PARTS DESCRIPTION | SECONDARY PART NUMBER | RETAIL PRICE |
|-------------------------------------|-------------------|-----------------------|--------------|
|-------------------------------------|-------------------|-----------------------|--------------|

### FIG. 15 FRONT AND REAR FENDER

|        |                        |               |          |
|--------|------------------------|---------------|----------|
| Q-15/1 | FRONT FENDER A         | TA0-000505-0  | \$ 44.00 |
| Q-15/2 | BOTTOM PLATE           | TA0-000507-0  | \$ -     |
| Q-15/3 | FRONT FENDER B         | TA0-000506-0  | \$ -     |
| Q-15/4 | BOLT M6x16             | GB5787-86     | \$ -     |
| Q-15/5 | ELASTIC NUT            | JY55T.00-24A  | \$ -     |
| Q-15/6 | SELF-TAPPING SCREW     | JY55T.00-24B  | \$ -     |
| Q-15/7 | REAR FENDER            | TA0-000521-0  | \$ 18.00 |
| Q-15/8 | MARK OF SIDE REFLECTOR | TA0-000810-F2 | \$ -     |

### FIG. 16 FOOTREST, STAND

|         |                             |               |          |
|---------|-----------------------------|---------------|----------|
| Q-16/1  | STAND                       | TA0-630000-F2 | \$ 31.00 |
| Q-16/2  | RUBBER RING OF STAND        | TA0-000602-F2 | \$ -     |
| Q-16/3  | AXLE OF STAND               | JY55T.00-39A  | \$ -     |
| Q-16/4  | WASHER                      | JY55T.00-40   | \$ -     |
| Q-16/5  | PIN 2.5x16                  | GB91-86       | \$ -     |
| Q-16/6  | SPRING OF STAND             | TA0-000701-F2 | \$ -     |
| Q-16/7  | FOOTREST                    | TA0-000501-F2 | \$ 28.00 |
| Q-16/8  | BOLT M6x25                  | GB5787-86     | \$ -     |
| Q-16/9  | BATTERY COVER               | TA0-000502-F2 | \$ -     |
| Q-16/10 | SELF-TAPPING SCREW ST4.2x10 | TA0-000303-F3 | \$ -     |

### FIG. 17 SEAT, LUGGAGE CARRIER

|         |                                |               |          |
|---------|--------------------------------|---------------|----------|
| Q-17/1  | SEAT                           | TA3-410000-0  | \$ 50.00 |
| Q-17/2  | HINGE BEARING OF SEAT          | TA0-000402-0  | \$ -     |
| Q-17/3  | NUT M6                         | GB6177-86     | \$ -     |
| Q-17/4  | CLIP NUT                       | TA0-006000-0  | \$ -     |
| Q-17/5  | HINGE SHAFT OF SEAT            | TA0-000302-0  | \$ -     |
| Q-17/6  | BOLT M6x16                     | GB823-88      | \$ -     |
| Q-17/7  | LUGGAGE CARRIER                | TA0-001000-F2 | \$ 35.00 |
| Q-17/8  | SEAT LOCK                      | TA4430000-F2  | \$ -     |
| Q-17/9  | SCREW M6x16                    | GB823-88      | \$ -     |
| Q-17/10 | RUBBER SLEEVE OF SEAT LOCK     | TA0-000604-F2 | \$ -     |
| Q-17/11 | CONNECTING LOCK                | TA4431000-F2  | \$ -     |
| Q-17/12 | BOLT M6x16                     | GB823-88      | \$ -     |
| Q-17/13 | SPHERICAL BOLT M8x30           | TA0-000013-F2 | \$ -     |
| Q-17/14 | LUGGAGE CARRIER                | TA3-730000-F2 | \$ -     |
| Q-17/15 | COVER NUT M6                   | GB923-88      | \$ -     |
| Q-17/16 | INNER COVER OF LUGGAGE CARRIER | TA0-000505-F2 | \$ -     |
| Q-17/17 | SELF TAPPING SCREW M4.2x12     | GB823-85      | \$ -     |

### FIG. 18 REAR COVER, BODY COVER

|        |                    |              |          |
|--------|--------------------|--------------|----------|
| Q-18/1 | REAR COVER         | TA0-000152-0 | \$ -     |
| Q-18/2 | LEFT COVER OF BODY | TA0-000509-0 | \$ 68.00 |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b>              | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|---------------------------------------|------------------------------|---------------------|
| Q-18/3  | BOLT M6x16                            | GB5787-86                    | \$ -                |
| Q-18/4  | SELF-TAPPING SCREW                    | JY55T.00-24B                 | \$ -                |
| Q-18/5  | ELASTIC NUT                           | JY55T.00-24A                 | \$ -                |
| Q-18/6  | RIGHT COVER OF BODY                   | TA0-000510-0                 | \$ 69.00            |
| Q-18/7  | FRONT COVER OF BODY                   | TA0-000511-0                 | \$ 35.00            |
| Q-18/8  | INSTALLING SCREW OF FRONT COVER M6x70 | TA0-000012-0                 | \$ -                |
| Q-18/9  | FILLING COVER OF LUBRICATION OIL      | TA0-000513-0                 | \$ -                |
| Q-18/10   | DECORATIVE CLIP OF REAR COVER         | TA0-000531-0                 | \$ -                |
| Q-18/11   | LUBRICATION OIL MARKING               | TA0-000804-F2                | \$ -                |
| Q-18/12   | MARKING OF TIRE PRESSURE              | TA0-000805-F2                | \$ -                |
| Q-18/13   | MARKING OF SIDE COVER                 | TA0-000802-F2                | \$ -                |
| Q-18/14   | SELF-TAPPING SCREW ST4.2x10           | GB848-85                     | \$ -                |

**FIG. 19 FUEL TANK**

|        |                  |               |          |
|--------|------------------|---------------|----------|
| Q-19/1 | FUEL TANK        | TA3-310000-F2 | \$ 41.80 |
| Q-19/2 | FUEL TANK LOCK   | TA4-420000-F2 | \$ -     |
| Q-19/3 | BOLT M6x12       | GB5787-86     | \$ -     |
| Q-19/4 | NUT M6           | GB6177-86     | \$ -     |
| Q-19/5 | FUEL TANK SWITCH | TA4-320000-0  | \$ 18.10 |

**FIG. 20 LUBRICATION OIL TANK, REAR SHOCK ABSORBER**

|        |                           |              |      |
|--------|---------------------------|--------------|------|
| Q-20/1 | LUBRICATION OIL TANK      | TA0-000514-0 | \$ - |
| Q-20/2 | BOLT M6x16                | GB5787-86    | \$ - |
| Q-20/3 | LUBRICATION OIL BOX COVER | TA0-000602-0 | \$ - |
| Q-20/4 | REAR SHOCK ABSORBER       | TA3-520000-0 | \$ - |
| Q-20/5 | NUT M10                   | GB6177-86    | \$ - |
| Q-20/6 | BOLT M8x35                | GB5787-86    | \$ - |
| Q-20/7 | BOLT M10x40               | GB5787-86    | \$ - |

**FIG. 21 FRAME**

|         |                               |               |      |
|---------|-------------------------------|---------------|------|
| Q-21/1  | FRAME                         | TA0-100000-F2 | \$ - |
| Q-21/2  | SWING ARM AXLE                | TA0-100004-F2 | \$ - |
| Q-21/3  | NUT M12                       | GB16187-86    | \$ - |
| Q-21/4  | SWING ARM BOLT                | TA0-000003-F2 | \$ - |
| Q-21/5  | NUT M10x1.25                  | GB6177-86     | \$ - |
| Q-21/6  | SWING ARM ASSY.               | TA0-002000-0  | \$ - |
| Q-21/7  | RUBBER SLEEVE OF SWING SPRING | TA0-000606-F2 | \$ - |
| Q-21/8  | SWING ARM SPRING              | TA0-000702-F2 | \$ - |
| Q-21/9  | REAR CONNECTING PLATE ASSY.   | TA0-004000-0  | \$ - |
| Q-21/10 | BOLT M6x12                    | GB5787-86     | \$ - |
| Q-21/11 | RUBBER SLEEVE                 | TA0-000601-0  | \$ - |
| Q-21/12 | HORN BRACKET ASSY.            | TA0-300000-0  | \$ - |
| Q-21/13 | BOLT M6x16                    | GB5787-86     | \$ - |
| Q-21/14 | CHINESE BRAND FOR MOTORCYCLE  | Q/JR 171-1999 | \$ - |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
| Q-21/15   | RIVET 2x5                | GB 867-86                    | \$ -                |

**FIG. 22 FRONT WHEEL**

|         |                                 |               |          |
|---------|---------------------------------|---------------|----------|
| Q-22/1  | FRONT WHEEL                     | TA3-810000-0  | \$ -     |
| Q-22/2  | BUSHING OF FRONT WHEEL          | TA3-810001-0  | \$ -     |
| Q-22/3  | MAIN BACKUP RING OF FRONT WHEEL | CY80.22-12    | \$ -     |
| Q-22/4  | OIL SEALING                     | CY80.22-06    | \$ -     |
| Q-22/5  | FRONT BRAKE COVER               | TA4-311000-0  | \$ -     |
| Q-22/6  | OIL SEALING                     | JY55T.36-02   | \$ -     |
| Q-22/7  | BRAKE SHOE ASSY.                | TA4-312000-0  | \$ -     |
| Q-22/8  | TENSION SPRING                  | CY80.23-9     | \$ -     |
| Q-22/9  | BUSHING                         | CY80.23-10    | \$ -     |
| Q-22/10 | DRIVEN GEAR OF METER            | JY55T.36-10   | \$ -     |
| Q-22/11 | DRIVING GEAR OF METER           | TA4-310001-0  | \$ -     |
| Q-22/12 | WASHER                          | CY80.23-11    | \$ -     |
| Q-22/13 | CAM ARM OF FRONT BRAKE          | JY55T.36-5    | \$ -     |
| Q-22/14 | CAM SHAFT                       | TA4-310001-0  | \$ -     |
| Q-22/15 | BOLT                            | JY55T.36-16   | \$ -     |
| Q-22/16 | NUT M6                          | GB6170-86     | \$ -     |
| Q-22/17 | INDICATING PLATE                | JY55T.36-7    | \$ -     |
| Q-22/18 | OIL SEALING                     | CY80.23-04    | \$ -     |
| Q-22/19 | FRONT BRAKE                     | TA0-310000-0  | \$ -     |
| Q-22/20 | ROLLING BEARING 60300           | GB278-89      | \$ -     |
| Q-22/21 | DECORATIVE RING                 | JY55T.20-2    | \$ -     |
| Q-22/22 | TYPE CASING                     | JY55T.20-1A   | \$ -     |
| Q-22/23 | TYPE WHEEL                      | JY55T.20-02   | \$ -     |
| Q-22/24 | FRONT WHEEL                     | TA3-810000-0  | \$ 65.00 |
| Q-22/25 | FRONT WHEEL SHAFT               | TA0-000002-F2 | \$ -     |
| Q-22/26 | FRONT WHEEL BUSHING             | TA0-000001-F2 | \$ -     |
| Q-22/27 | NUT M10x1.25                    | GB6187-86     | \$ -     |
| Q-22/28 | O-RING 16x2.4                   | GB61235-76    | \$ -     |

**FIG. 23 REAR WHEEL**

|         |                          |              |      |
|---------|--------------------------|--------------|------|
| Q-23/1  | STEEL RING OF REAR WHEEL | TA3-921000-0 | \$ - |
| Q-23/2  | DECORATIVE RING          | JY55T.20-2   | \$ - |
| Q-23/3  | TYPE CASING              | JY55T.20-1A  | \$ - |
| Q-23/4  | TYPE TUBE                | JY55T.20-02  | \$ - |
| Q-23/5  | NUT M14x1.5              | GB6187-86    | \$ - |
| Q-23/6  | WASHER                   | JY55T.00-33  | \$ - |
| Q-23/7  | REAR BRAKE SHOE ASSY.    | JY55T.00-09  | \$ - |
| Q-23/8  | TENSION SPRING           | CY80.23-9    | \$ - |
| Q-23/9  | CAM SHAFT                | TA0-012000-0 | \$ - |
| Q-23/10 | REAR BRAKE ARM           | TA0-010000-0 | \$ - |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b>       | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------------|------------------------------|---------------------|
| Q-23/11   | INDICATING PLATE OF REAR BRAKE | JY55T.00-31                  | \$ -                |
| Q-23/12   | BOLT M6x35                     | GB823-88                     | \$ -                |
| Q-23/13   | REAR WHEEL                     | TA3-820000-0                 | \$ 71.00            |

**FIG. 24 LEFT RIGHT SNEEK SWITCH**

|         |                                |               |          |
|---------|--------------------------------|---------------|----------|
| Q-24/1  | LEFT SNEEK SOCKET SWITCH       | TA5-561000-F2 | \$ 28.80 |
| Q-24/2  | UPPER COVER OF LEFT HANDLEBAR  | TA5-563200-F2 | \$ -     |
| Q-24/3  | LOWER COVER OF LEFT HANDLEBAR  | TA5-564200-F2 | \$ -     |
| Q-24/4  | WIRE COMPONENT                 | TA5-565000-F2 | \$ -     |
| Q-24/5  | BRAKE SWITCH                   | TA5-566500-F2 | \$ -     |
| Q-24/6  | LEFT HANDLE LEVER              | TA5-571200-F2 | \$ -     |
| Q-24/7  | RIGHT SNEEK SOCKET SWITCH      | TA5-562000-F2 | \$ 31.40 |
| Q-24/8  | UPPER COVER OF RIGHT HANDLEBAR | TA5-567200-F2 | \$ -     |
| Q-24/9  | LOWER COVER OF RIGHT HANDLEBAR | TA5-568200-F2 | \$ -     |
| Q-24/10 | WIRE COMPONENT                 | TA5-569000-F2 | \$ -     |
| Q-24/11 | BRAKE SWITCH                   | TA5-570500-F2 | \$ -     |
| Q-24/12 | RIGHT HANDLE LEVER             | TA5-569000-F2 | \$ -     |

**FIG. 25 HEADLAMP**

|        |                  |              |          |
|--------|------------------|--------------|----------|
| Q-25/1 | HEADLAMP HOUSING | TA0-000504-0 | \$ 38.00 |
| Q-25/2 | LAMP RING        | TA0-000506-0 | \$ -     |
| Q-25/3 | HEADLAMP         | TA5-610000-0 | \$ -     |
| Q-25/4 | SCREW M6x30      | GB823-88     | \$ -     |
| Q-25/5 | WASHER 6         | GB96-85      | \$ -     |

**FIG. 26 TAIL LAMP**

|         |                       |                |      |
|---------|-----------------------|----------------|------|
| Q-26/1  | TAIL LAMP             | TA5-630000-0   | \$ - |
| Q-26/2  | HOUSING COMPONENT     | TA5-631500-0   | \$ - |
| Q-26/3  | BULB 12V-21/5W        | Q/QB Q30081-88 | \$ - |
| Q-26/4  | RUBBER OF TAIL LAMP   | TA0-000605-F2  | \$ - |
| Q-26/5  | SCREW M4x16           | GB70-85        | \$ - |
| Q-26/6  | GASKET 4              | GB93-87        | \$ - |
| Q-26/7  | GASKET 4-140HV        | GB848-85       | \$ - |
| Q-26/8  | SEALING RING          | TA5-630401-0   | \$ - |
| Q-26/9  | NUT M5                | GB6177-85      | \$ - |
| Q-26/10 | REGISTER BRACKET UNIT | TA0-007000-0   | \$ - |
| Q-26/11 | NUT M6                | GB6177-86      | \$ - |
| Q-26/12 | REFLECTION PIECE      | TA0-012000-0   | \$ - |
| Q-26/13 | NUT M6                | GB6177-86      | \$ - |

**FIG. 28 ODOMETER FLEXIBLE SHAFT**

|        |                               |               |          |
|--------|-------------------------------|---------------|----------|
| Q-28/1 | ODOMETER OF SPEED             | TA5-410000-F2 | \$ 91.00 |
| Q-28/2 | FLEXIBLE SHAFT OF SPEEDOMETER | TA4-260000-F2 | \$ 29.00 |
| Q-28/3 | SCREW M6x16                   | GB828-88      | \$ -     |
| Q-28/4 | SCREW M5x16                   | GB819-85      | \$ -     |

**Midwest Motor Vehicles Inc**

**608-223-5160**

**www.midwestmv.com**

**JS50QT-2 (II) PARTS BY FIG./REF. NUMBER.-PRICING**

| <b>FIGURE &amp; REFERENCE<br/>FIG. / REF. #</b> | <b>PARTS DESCRIPTION</b> | <b>SECONDARY PART NUMBER</b> | <b>RETAIL PRICE</b> |
|---|--------------------------|------------------------------|---------------------|
|---|--------------------------|------------------------------|---------------------|

**FIG. 29 OIL ( 2- CYCLE ) INDICATOR LIGHT , REAR VIEW MIRROR ASSY.**

|         |                                   |               |          |
|---------|-----------------------------------|---------------|----------|
| Q-29/1  | LUBRICATION PILOT LIGHT ASSY.     | TA5-440000-0  | \$ -     |
| Q-29/2  | DECORATIVE COVER OF HANDLE SOCKET | TA0-000507-F2 | \$ -     |
| Q-29/3  | INDICATING COVER OF ENGINE OIL    | TA0-000504-F2 | \$ -     |
| Q-29/4  | RUBBER BUSHING OF INDICATOR       | TA0-000603-F2 | \$ -     |
| Q-29/5  | BULB 12V 3W                       | TA5-440003-F2 | \$ -     |
| Q-29/6  | WIRE COMPONENT                    | TA5-441000-F2 | \$ -     |
| Q-29/7  | SCREW M5x12                       | GB823-88      | \$ -     |
| Q-29/8  | LUBRICATION SIGNAL MARK           | TA0-000809-F2 | \$ -     |
| Q-29/9  | LEFT REARVIEW MIRROR              | TA4-51000-0   | \$ 24.80 |
| Q-29/10 | RIGHT REARVIEW MIRROR             | TA4-52000-0   | \$ 24.80 |

**FIG. 30 ELECTRIC COMPONENT**

|         |                            |               |          |
|---------|----------------------------|---------------|----------|
| Q-30/1  | BATTERY                    | JY55T.57      | \$ -     |
| Q-30/2  | FUSE COMPONENT             | CY80.09-02    | \$ -     |
| Q-30/3  | LUBRICATION SIGNAL SENSOR  | TA5-750000-F2 | \$ -     |
| Q-30/4  | HOOP UNIT                  | TA0-004000-F2 | \$ -     |
| Q-30/5  | FUEL SIGNAL SENSOR         | TA5-700000-F2 | \$ -     |
| Q-30/6  | SCREW M5x12                | GB823-88      | \$ -     |
| Q-30/7  | GASKET 5                   | GB96-85       | \$ -     |
| Q-30/8  | FUEL SENSING DEVICE GASKET | TA3-310601-F2 | \$ -     |
| Q-30/9  | FUEL GAUGE                 | TA3-430000-F2 | \$ 24.00 |
| Q-30/10 | WIRE COMPONENT             | TA3-432000-F2 | \$ -     |
| Q-30/11 | NUT M6                     | GB6177-86     | \$ -     |
| Q-30/12 | MAIN SWITCH LOCK           | TA4-410000-F2 | \$ 27.00 |
| Q-30/13 | INDICATING COVER OF SWITCH | TA4-410501-F2 | \$ -     |
| Q-30/14 | SCREW M6 M5x16             | GB823-88      | \$ -     |
| Q-30/15 | HORN UNIT                  | TB5-710000-0  | \$ -     |
| Q-30/16 | BOLT M6 M5x1216            | GB823-88      | \$ -     |
| Q-30/17 | RECTIFYING ADJUSTER        | JY55T.51      | \$ 21.40 |
| Q-30/18 | SCREW M6 M5x1216           | GB5787-86     | \$ -     |
| Q-30/19 | FLASHER                    | JS125-5B.53   | \$ 17.00 |
| Q-30/20 | CDI                        | JY55T.52      | \$ -     |
| Q-30/21 | IGNITION COIL              | QB5-220000-0  | \$ -     |
| Q-30/22 | BOLT M6 Mx16               | GB5787-86     | \$ -     |
| Q-30/23 | NUT M6                     | GB6177-86     | \$ -     |
| Q-30/24 | PROTECTING CAP             | JY55T.50-1    | \$ -     |
| Q-30/25 | SPARK PLUG CAP             | JY55T.50-02   | \$ -     |
| Q-30/26 | STARTING RELAY             | ZA5-520000-0  | \$ -     |
| Q-30/27 | CURRENT LIMITER            | JY55T.00-011  | \$ -     |
| Q-30/28 | CABLE                      | TA5-320000-F2 | \$ -     |